


Disruption of CCL20-CCR6 interaction inhibits metastasis of advanced cutaneous T-cell lymphoma

Supplementary Material

Supplemental Table S1. Sequence information of siIL22RA1, siCCL20, and siCCR6.



siRNA	probe	5'-3'
siIL22RA1(537)	sense	CCUGAUGUGACCUGUAUCUdTdT
	antisense	AGAUACAGGUCAUCAGGdTdT
siIL22RA1(744)	sense	GGGAAGCAGAGAGAAUUAUGdTdT
	antisense	CAUAAUCUCUCUGCUUCCdTdT
siCCR6(705)	sense	CUGCUCUGACUUGCAUUAdTdT
	antisense	UAAUGCAAGUCAGGAGCAGdTdT
siCCR6(1058)	sense	AGCCAUCCGUGUAAUCAUAdTdT
	antisense	UAUGAUUACACGGAUGGCUDTdT
siCCL20(181)	sense	CCGUAUUCUUCAUCCUAAAAdTdT
	antisense	UUUAGGAUGAAGAAUACGGdTdT
siCCL20(232)	sense	UGAAGGCUGUGACAUCAAUdTdT
	antisense	AUUGAUGUCACAGCCUUCAdTdT



Supp Fig1:

A

My-La Lower chamber (migrating cells)

**B**

Supp. Fig. 2: